



## Product Selection Guide

Code	Product Name	Description	Suggested Use	Floor Coatings	Pools & Surrounds	Industrial Coatings
020	ACS Tint Pack	Non-flammable concentrated colourant for use in 633/733 Colourseal and 352A Duralok Tint Base.	Tint pack for 633 Colourseal and 352A Duralok.			
035	Flake	Decorative vinyl flakes that are blended to achieve optimal appearance and texture qualities with resin flooring systems.	Garages, pergolas, factory floors, entranceways, toilet blocks, kitchens, laundries, schools, locker/change rooms.			
040	Granules	Decorative coloured quartz that are blended to achieve optimal appearance and texture qualities with resin flooring systems.	Pool surrounds, ramps, pergolas, factory floors, entranceways, toilet blocks, kitchens, laundries, schools, locker/change rooms.			
070	Rejuvenator	Non-flammable solution to be applied to whitened driveways to rejuvenate the existing sealer.	Driveways that have been previously sealed with clear solution acrylic that is showing signs of whitening.			
080	Gel Stripper	A non-flammable agent designed to soften existing coatings for easy removal.	Any areas that require softening and removal of existing coating.			
110	Aquasil	Water based, silane/siloxane penetrating sealer for concrete and masonry surfaces.	Concrete, masonry and stone surfaces that need protection from water, mould and dirt ingress leaving a natural look e.g., tiles, pool surrounds, sandstone.			
111	Silicone 18	Solvent based water repellent for concrete and masonry surfaces.	Concrete, masonry and stone surfaces that need protection from water, mould and dirt ingress leaving a natural look e.g., tiles, pool surrounds, sandstone.			
116	Aquasilicate	Concrete hardener to prevent dusting.	Concrete slabs showing signs of dusting, or for densifying polished concrete slabs.			
155	Aquapreseal	Water based prime sealer. Supplied as a concentrate to be diluted with 9 parts water to 1 part 155 Aquapreseal.	Use on concrete slabs to prevent sink back of top coats.			
205	Aquatex	Water based texture finish for use where extra slip resistance is required. Meets P5 slip rating.	Pool surrounds, ramps, pergolas, factory floors, entranceways, toilet blocks, kitchens, laundries, schools, locker/change rooms.			
225	Metal Primer	Solvent based, quick dry enamel for priming bare metal substrates.	Trailers, skip bins, fabricated steel. Can be top coated with both single and two pack products.			



## Product Selection Guide

Code	Product Name	Description	Suggested Use	Floor Coatings	Pools & Surrounds	Industrial Coatings
311	W.B.E (1:1)	Water based epoxy coating with excellent adhesion, excellent resistance and a hard wearing finish. Available in WHITE and LIGHT GREY	Large factory floors and car parks. Skip bins, fabricated steel. Interior applications only.			
NA	Flake Kit	Complete kit consisting of basecoat, flake and topcoat to cover 10sqm.	Garages, pergolas, factory floors, entranceways, toilet blocks, kitchens, laundries, schools, locker/change rooms.			
350	Duralok	High solids, high build, clear two pack (3:1) top coat specifically formulated for high traffic commercial floors and as a topcoat over flake.	Factory floors, garages, workshops, polished concrete, driveways, coloured concrete, UV protective topcoat. Can be used over 035, 205, 311, 358, 633. Trailers, agricultural machinery, skip bins, fabricated steel.			
352	Duralok - Tint Base	High solids, high build, two pack (3:1) top coat specifically formulated as a pigmented topcoat for high traffic commercial floors. Use 020 to tint to desired colour.	Factory floors, garages, workshops, polished concrete, driveways, coloured concrete. Available in 20 colours. Trailers, agricultural machinery, skip bins, fabricated steel.			
358	Epox - 100	100% solids, high gloss clear epoxy floor coating.	Factory floors, garages, workshops, polished concrete, commercial kitchens, laundries, high traffic areas, areas requiring chemical resistance.			
380	SCI Chlorinated Rubber	Chlorinated rubber swimming pool paint that has good resistance properties and is easy to apply.	Residential and commercial pools. Suitable for concrete, Marblesheen, cement render and fibreglass.			
398	Pool Epoxy	100% solids, heavy duty two-pack epoxy coating designed to protect concrete swimming pools.	Residential and commercial pools. Suitable for concrete, Marblesheen, cement render and fibreglass.			
401	Zincote	Solvent based, quick dry zinc coating for use over weld spots to match to galvanised finish.	Gates, fences, rails.			
444	Crack Repair	A general use, cement-based crack filling compound	Interior and exterior cementitious substrates. Only for use in cracks up to 10mm deep.			



## Product Selection Guide

Code	Product Name	Description	Suggested Use	Floor Coatings	Pools & Surrounds	Industrial Coatings
480	HB Enamel	Solvent based, high gloss, high build air dry enamel.	Excavators, skip bins.			
524	Aquasheen	Water based tough, durable clear sealer for concrete and masonry surfaces.	Driveways, pathways, pergolas, low odour requirements, stamped and stencilled concrete, garages.			
544	Aquagloss	Water based, aliphatic polyurethane high solids clear sealer for polished concrete.	Driveways, pathways, pergolas, low odour requirements, stamped and stencilled concrete, garages.			
545	Aquadip	Water based coating for scaffolding parts.	Scaffolding.			
552	Edge Sealer	Water based coating specifically formulated for edges of Form Ply to prevent moisture ingress but allow easy release from concrete.	Form Ply.			
561	Barrier Coat	Water based coating for concrete tilt slabs and panels. Excellent weather resistance, and low dirt pickup.	Tilt slabs, concrete panel fences.			
610	Enhance Sealer	Solvent based solution acrylic specifically formulated to recoat previously clear sealed concrete surfaces.	Concrete slabs with moisture vapour issues: to reseal old, unwhitened solution acrylics.			
633	Colourseal	Solvent based, tough, durable acrylic tint base for pigmenting concrete and masonry surfaces. Pigment pack (020 ACS Tint Pack) available separately.	Driveways, pathways, pergolas, stamped concrete, stencilled concrete, garages, workshops, factory floors. Economical concrete colour option.			
634	Crystal Clear	Solvent based, tough, durable clear acrylic sealer for concrete and masonry surfaces.	Driveways, pathways, pergolas, stamped concrete, stencilled concrete, garages, workshops, factory floors. Tilt slabs, concrete fence panels.			
639	Extra Grip Additive	Clear additive to improve slip resistance of coating. Best applied by broadcast.	To enhance grip for any film forming sealer such as, 311, 350, 352, 524, 633 and 634. Best practice is to put one coat down, broadcast by hand to desired texture, apply topcoat/sealcoat after first coat has cured.			



## Product Selection Guide

Code	Product Name	Description	Suggested Use	Floor Coatings	Pools & Surrounds	Industrial Coatings
733	Colourseal NF	Non-flammable, solvent based, tough, durable acrylic tint base for pigmenting concrete and masonry surfaces. Pigment pack (020 ACS Tint Pack) available separately. NOT classified as a dangerous good.	Driveways, pathways, pergolas, stamped concrete, stencilled concrete, garages, workshops, factory floors. Economical concrete colour option.			
734	Crystal Clear NF	Non-flammable, solvent based, quick dry acrylic primer with a semi opaque white finish for easy identification of what has been primed. NOT classified as a dangerous good.	Driveways, pathways, pergolas, stamped concrete, stencilled concrete, garages, workshops, factory floors. Tilt slabs, concrete fence panels.			
T008	Multipurpose Thinners	General purpose thinner for cleaning and flushing.	111 Silicone 18, 633 Colourseal, 634 Crystal Clear.			
T050	Medium Thinner #1	Thinner for diluting products for priming or spray application. Slightly speeds dry times.	111 Silicone 18, 633 Colourseal, 634 Crystal Clear.			
T060	Medium Thinner #2	Thinner for diluting products for priming or spray application. Helps keep film open for longer working time.	633 Colourseal, 634 Crystal Clear.			
T300	Two-Pack Thinner	Thinner for diluting two pack products for priming or spray applications.	350 & 352 Duralok, 358 Epox-100.			
T380	CR Thinner	Thinner for chlorinated rubber coatings.	380 Chlorinated Rubber.			